

## Ohio Cross-System Decision Support Model using the Ohio Children’s Initiative CANS: OhioRISE and Out of Home Services

	Treatment/Population Eligibility Need	Complexity
<b>Baseline OhioRISE Eligibility &amp; OhioRISE Care Coordination</b> <b>1. Limited</b> <b>Criterion 1.1</b> <b>AND</b> <b>(Criterion 1.2 OR Criterion 1.3)</b>	<b>1.1</b> <b>At least one</b> rating of ‘2’ or ‘3’ on any Behavioral/Emotional Need: <ul style="list-style-type: none"> <li>– Psychosis</li> <li>– Impulsivity/Hyperactiv.</li> <li>– Depression</li> <li>– Anxiety</li> <li>– Oppositional Behavior</li> <li>– Conduct</li> <li>– Adjustment to Trauma</li> <li>– Anger Control</li> <li>– Substance Use</li> <li>– Eating Disturbance</li> <li>– Attachment Difficulties</li> <li>– Interpersonal Prob (14+)</li> </ul>	<b>1.2</b> <b>At least one</b> rating of ‘2’ or ‘3’ on any Risk Behavior: <ul style="list-style-type: none"> <li style="width: 50%;">– Suicide Risk</li> <li style="width: 50%;">– Runaway</li> <li style="width: 50%;">– NSSI Behavior</li> <li style="width: 50%;">– Intentional Misbehavior</li> <li style="width: 50%;">– Other Self-Harm</li> <li style="width: 50%;">– Fire Setting</li> <li style="width: 50%;">– Danger to Others</li> <li style="width: 50%;">– Victimization/Exploit.</li> <li style="width: 50%;">– Delinquent Behavior</li> <li style="width: 50%;">– Sexually Probl Behavior</li> </ul>
		<b>1.3</b> <b>At least one</b> rating of ‘2’ or ‘3’ on the following Functioning Needs: <ul style="list-style-type: none"> <li style="width: 50%;">– Family Functioning</li> <li style="width: 50%;">– Sleep</li> <li style="width: 50%;">– Living Situation</li> <li style="width: 50%;">– School</li> <li style="width: 50%;">– Social Functioning</li> </ul>
<b>OhioRISE Care Coordination</b> <b>2. Moderate</b> <b>Criterion 2.1</b> <b>AND</b> <b>(Criterion 2.2 OR Criterion 2.3)</b>	<b>2.1</b> <b>At least one</b> rating of ‘3’, or <b>two or more</b> ratings of ‘2’ or ‘3’ on any Behavioral/Emotional Need: <ul style="list-style-type: none"> <li>– Psychosis</li> <li>– Impulsivity/Hyperactiv.</li> <li>– Depression</li> <li>– Anxiety</li> <li>– Oppositional Behavior</li> <li>– Conduct</li> <li>– Adjustment to Trauma</li> <li>– Anger Control</li> <li>– Substance Use</li> <li>– Eating Disturbance</li> <li>– Interpersonal Prob (14+)</li> </ul>	<b>2.2</b> <b>At least one</b> rating of ‘3’ or <b>two or more</b> ratings of ‘2’ or ‘3’ on any Risk Behavior: <ul style="list-style-type: none"> <li style="width: 50%;">– Suicide Risk</li> <li style="width: 50%;">– Runaway</li> <li style="width: 50%;">– NSSI Behavior</li> <li style="width: 50%;">– Intentional Misbehavior</li> <li style="width: 50%;">– Other Self-Harm</li> <li style="width: 50%;">– Fire Setting</li> <li style="width: 50%;">– Danger to Others</li> <li style="width: 50%;">– Victimization/Exploit.</li> <li style="width: 50%;">– Delinquent Behavior</li> <li style="width: 50%;">– Sexually Probl Behavior</li> </ul>
		<b>2.3</b> <b>At least two</b> ratings of ‘3’ or <b>three or more</b> ratings of ‘2’ or ‘3’ on the following Functioning Needs: <ul style="list-style-type: none"> <li style="width: 50%;">– Family Functioning</li> <li style="width: 50%;">– Medical/Physical</li> <li style="width: 50%;">– Living Situation</li> <li style="width: 50%;">– Sleep</li> <li style="width: 50%;">– Social Functioning</li> <li style="width: 50%;">– Decision Making</li> <li style="width: 50%;">– Developmental/Intellect.</li> <li style="width: 50%;">– School</li> <li style="width: 50%;">– Legal</li> </ul>

Ohio Cross-System Decision Support Model using the Ohio Children's Initiative CANS:  
OhioRISE and Out of Home Services

<p><b>OhioRISE Care Coordination</b> <b>3. Intensive</b> <b>Criterion 3.1</b> <b>AND</b> <b>Criterion 3.2</b></p>	<p><b>3.1</b></p>	<p>Child/Youth meets criteria for Care Coordination—Moderate</p>	<p><b>3.2</b></p>	<p><b>At least one</b> rating of '3' or <b>two or more</b> ratings of '2' or '3' on any of the following Caregiver Needs:</p> <ul style="list-style-type: none"> <li>– Supervision</li> <li>– Knowledge</li> <li>– Residential Stability</li> <li>– Medical/Physical</li> <li>– Mental Health</li> <li>– Substance Use</li> <li>– Family Stress</li> </ul>
---	-------------------	--	-------------------	--

	Treatment/Population Eligibility Need		Complexity	
<p><b>Out-of-Home Treatment</b> <b>4a. QRTP and Residential</b> <b>Mental Health Treatment</b> <b>(Criterion 4a.1 or Criterion 4a.2)</b> <b>AND</b> <b>(Criterion 4a.3 OR Criterion 4a.4)</b> <b>AND</b> <b>Criterion 4a.5</b> <b>AND</b> <b>(Criterion 4a.6 OR Criterion 4a.7)</b></p>	4a.1	<p><b>At least one</b> rating of '3' on any Behavioral/Emotional Need:</p> <ul style="list-style-type: none"> <li>– Psychosis</li> <li>– Impulsivity/Hyperactiv.</li> <li>– Depression</li> <li>– Anxiety</li> <li>– Oppositional Behavior</li> <li>– Conduct</li> <li>– Adjustment to Trauma</li> <li>– Anger Control</li> <li>– Eating Disturbance</li> <li>– Attachment Difficulties</li> <li>– Behavioral Regression</li> <li>– Somatization</li> <li>– Interpersonal Prob (14+)</li> </ul>	4a.3	<p><b>At least one</b> rating of '3' or <b>two or more</b> ratings of '2' or '3' on any Risk Behavior:</p> <ul style="list-style-type: none"> <li>– Suicide Risk</li> <li>– NSSI Behavior</li> <li>– Other Self-Harm</li> <li>– Danger to Others</li> <li>– Delinquent Behavior</li> <li>– Fire Setting</li> <li>– Victimization/Exploit.</li> <li>– Sexually Probl Behavior</li> </ul>
			4a.4	<p><b>At least one</b> rating of '2' or '3' on <b>Runaway OR Intentional Misbehavior AND at least one</b> rating of '2' or '3' on any of the following Risk Behaviors:</p> <ul style="list-style-type: none"> <li>– Suicide Risk</li> <li>– NSSI Behavior</li> <li>– Other Self-Harm</li> <li>– Danger to Others</li> <li>– Delinquent Behavior</li> <li>– Fire Setting</li> <li>– Victimization/Exploit.</li> <li>– Sexually Probl Behavior</li> </ul>
			4a.5	<p><b>At least one</b> '2' or '3' on any of the following Caregiver Resources &amp; Need items:</p> <ul style="list-style-type: none"> <li>– Supervision</li> <li>– Residential Stability</li> <li>– Medical/Physical</li> <li>– Mental Health</li> <li>– Substance Use</li> <li>– Family Stress</li> </ul> <p><b>OR</b> Child has no currently viable caregiver</p>
	4a.2	<p><b>At least one</b> rating of '2' or '3' on <b>Substance Use AND at least one</b> rating of '2' or '3' on any of the following Behavioral/Emotional Needs:</p> <ul style="list-style-type: none"> <li>– Psychosis</li> <li>– Impulsivity/Hyperactiv.</li> <li>– Depression</li> <li>– Anxiety</li> <li>– Oppositional Behavior</li> <li>– Conduct</li> <li>– Adjustment to Trauma</li> <li>– Anger Control</li> <li>– Eating Disturbance</li> <li>– Attachment Difficulties</li> <li>– Behavioral Regression</li> <li>– Somatization</li> <li>– Interpersonal Prob (14+)</li> </ul>	4a.6	<p>There is no possible community living arrangement for the youth that is willing and able to support the intensive community treatment (e.g. wraparound) for the youth given their current needs, OR youth was unsuccessful in intensive community treatment.</p>
			4a.7	<p>Youth is in custody of, or on parole with, the Department of Youth Services.</p>
	<p><b>SUD Service Recommendations</b> <b>4b. SUD</b></p>	<p>Following CANS assessment completion: A rating of '1', '2', or '3' on the Substance Use item will prompt a message to the assessor:</p>		

	<p>“Assessment indicates need of youth may require an ASAM assessment. Please complete an ASAM assessment or refer the youth for an ASAM assessment to determine Medicaid medical necessity for SUD services.”</p> <p>*There will be no LOC recommendation for SUD Residential</p>
--	--

	Treatment/Population Eligibility Need		Complexity	
<b>Out-of-Home Treatment ICF/IID - IBS Rate Add-On 4c. ICF/IID Criterion 4c.1 AND Criterion 4c.2 AND Criterion 4c.3 AND Criterion 4c.4 AND Criterion 4c.5</b>	<b>4c.1</b>	Child is at least 10 years of age.	<b>4c.4</b>	<b>At least one</b> rating of ‘3’ on any of the following Risk Behaviors: <ul style="list-style-type: none"> <li>– Suicide</li> <li>– Non-suicidal Self-Injurious Behavior</li> <li>– Other Self Harm</li> <li>– Danger to Others</li> <li>– Fire Setting</li> <li>– Sexually Problematic Behavior</li> </ul>
	<b>4c.2</b>	<b>A rating</b> of ‘1’, ‘2’ or ‘3’ on the Life Functioning Item: Developmental/ Intellectual.		
	<b>4c.3</b>	<b>At least one</b> rating of ‘3’ on any of the following Behavioral/Emotional Need items: <ul style="list-style-type: none"> <li>– Psychosis</li> <li>– Anxiety</li> <li>– Adjustment to Trauma</li> <li>– Anger Control</li> </ul>	<b>4c.5</b>	<b>At least one</b> rating of ‘2’ or ‘3’ on one of the following Caregiver Resources and Needs items: <ul style="list-style-type: none"> <li>– Supervision</li> <li>– Knowledge</li> </ul> <b>OR</b> Child has no currently viable caregiver

	Treatment/Population Eligibility Need		Complexity	
<b>OhioRISE Waiver Eligibility Determination</b> <b>4d. 1915(c) Waiver</b> <b>Criterion 4d.1</b> <b>AND</b> <b>Criterion 4d.2</b> <b>AND</b> <b>Criterion 4d.3</b>	<b>4d.1</b>	<b>Two ratings of ‘3’ or three or more ratings of ‘2’ or ‘3’ on any Behavioral/Emotional Need:</b> <ul style="list-style-type: none"> <li>– Psychosis</li> <li>– Impulsivity/Hyperactiv.</li> <li>– Depression</li> <li>– Anxiety</li> <li>– Oppositional Behavior</li> <li>– Conduct</li> <li>– Adjustment to Trauma</li> <li>– Anger Control</li> <li>– Substance Use</li> <li>– Eating Disturbance</li> <li>– Attachment Difficulties</li> <li>– Interpersonal Prob (14+)</li> </ul>	<b>4d.2</b>	<b>At least two ratings of ‘3’ or three or more ratings of ‘2’ or ‘3’ on any Risk Behavior:</b> <ul style="list-style-type: none"> <li>– Suicide Risk</li> <li>– NSSI Behavior</li> <li>– Other Self-Harm</li> <li>– Danger to Others</li> <li>– Delinquent Behavior</li> <li>– Runaway</li> <li>– Intentional Misbehavior</li> <li>– Fire Setting</li> <li>– Victimization/Exploit.</li> <li>– Sexually Probl Behavior</li> </ul>
			<b>4d.3</b>	<b>At least one rating of ‘3’ or two or more ratings of ‘2’ or ‘3’ on any of the following Caregiver Needs:</b> <ul style="list-style-type: none"> <li>– Supervision</li> <li>– Residential Stability</li> <li>– Medical/Physical</li> <li>– Mental Health</li> <li>– Substance Use</li> <li>– Family Stress</li> </ul> <b>OR</b> Child has no currently viable caregiver

	Treatment/Population Eligibility Need		Complexity	
<b>Out-of-Home Treatment</b> <b>4e. PRTF</b> <b>Criterion 4e.1</b> <b>AND</b> <b>Criterion 4e.2</b> <b>AND</b> <b>Criterion 4e.3</b> <b>AND</b> <b>Criterion 4e.4</b>	<b>4e.1</b>	<b>At least one rating of ‘3’ on any of the following Behavioral/Emotional Needs: Psychosis, Depression, Adjustment to Trauma.</b>	<b>4e.3</b>	<b>At least two ratings of ‘3’ or three or more ratings of ‘2’ or ‘3’ on any Risk Behavior:</b> <ul style="list-style-type: none"> <li>– Suicide Risk</li> <li>– NSSI Behavior</li> <li>– Other Self-Harm</li> <li>– Danger to Others</li> <li>– Delinquent Behavior</li> <li>– Runaway</li> <li>– Intentional Misbehavior</li> <li>– Fire Setting</li> <li>– Victimization/Exploit.</li> <li>– Sexually Probl Behavior</li> </ul>
	<b>4e.2</b>	<b>Two ratings of ‘3’ or three or more ratings of ‘2’ or ‘3’ on any Behavioral/Emotional Need:</b> <ul style="list-style-type: none"> <li>– Psychosis</li> <li>– Impulsivity/Hyperactiv.</li> <li>– Depression</li> <li>– Anxiety</li> <li>– Oppositional Behavior</li> <li>– Conduct</li> <li>– Adjustment to Trauma</li> <li>– Anger Control</li> <li>– Substance Use</li> <li>– Eating Disturbance</li> <li>– Attachment Difficulties</li> <li>– Interpersonal Prob (14+)</li> </ul>		

Ohio Cross-System Decision Support Model using the Ohio Children's Initiative CANS:  
 OhioRISE and Out of Home Services

				<ul style="list-style-type: none"> <li>- Family Stress</li> <li><b>OR</b> Child has no currently viable caregiver</li> </ul>
--	--	--	--	--